User: **Estimate Number** This Issue Prsht Rev. First Issue **Previous Run** Written By

Thursday, 20/11/2008 3:35:27 PM

Julie Dawson

**Process Sheet** 

Customer Job Number : CU-DAR001 Dart Helicopters Services

: 43626

: 11154 P.O. Number

: 20/11/2008

: NC

: // : 43416

S.O. No. :

Type : MACHINED PARTS **Part Number** 

Material

**Drawing Name** 

: D32335

**Drawing Number Project Number**  : D3233 REV B : N/A

: OUTSIDE WASHER

**Drawing Revision** 

: B

**Due Date** 

: 21/12/2008

Qtv:

10 Um:

Each

**Checked & Approved By** 

Comment

New issue KJ/JLM

Est Rev:B

Now on Doosan Lathe 08-04-01 JLM Verified by:EC

**Additional Product** 

Job Number:



Sea. #:

**Machine Or Operation:** 

Description:

1.0

M1020TR1875W250

**ROUND TUBE 1.875 x .250w** 



Comment: Qty.: 0.1860 f(s)/Unit



Total: 1.8596 f(s)

1020-1025 Round Tube

Material: AISI 1020-1025 Seamless Round Tubing Cold Drawn per MIL-T-5066 or ASTM A513-00 MT1020

SRA or AMS 5075 or AMS 5077

(M1020TR1.875W.250) Identify for D3233-5 Batch: M (02210

2.0

DOOSAN LATHE



Comment: Doosan Lathe

1- Turn as per Folio FA736 Rev:

2-Deburr per dwg D3233

3.0

QC2




Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

QC8

SECOND CHECK





Comment: SECOND CHECK

# **Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES							
DATE	STEP					Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
					***************************************				

Part No:		PAR #:	Fault Category:	NCR: Yes No	DQA:	Date:
	Resolution:		Disposition:	QA: N/C Closed	l <u>:</u>	Date:

NCR:			WORK ORDE	ER NON-CONFORMANC	E (NCR)								
	1	Description of NC		Corrective Action Section B		Verification	Approval	Approval					
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector					
				}									
				T.									
				1									
				!									
				!									
				1									

NOTE: Date & initial all entries

Date: -

Thursday, 20/11/2008 3:35:27 PM

User:

Julie Dawson

**Process Sheet** 

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: OUTSIDE WASHER

Job Number: 43626

Part Number: D32335

Job Number:



Seq. #:

Machine Or Operation:

Description:

5.0

PACKAGING 1

PACKAGING RESOURCE #1





Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

6.0 QC21



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



h duy


# **Dart Aerospace Ltd**


W/O:			WO	RK ORDER CHANG	ES					
DATE	STEP	PROCEDURE CHANGE				Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					ļ ;			į		
			p 1 a p 1 a p 1 a p 1 a p 1 a p 1 a p 1 a p 1 a p 1 a p 1 a p 1 a p 1 a p 1 a p 1 a p 1 a p 1 a p 1 a p 1 a p				_			
Part No	:	PAR #:	Fault Categ	jory:	_ NC	R: Yes	No DQ	A:	Date: _	
Resolution:		Disposition	:	_ QA	: N/C C	osed:		Date: _		
NCR:			WORK ORDE	R NON-CONFORMA	ANCI	E (NCF	R)			
		Description of NC	Corrective Action Section		ion B		Verifi	cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng		Sign 8 Date	Sect	ion C	Chief Eng	QC Inspector
					i					
					1					
ļ,										
			1 1		I	ļ				1

NOTE: Date & initial all entries



DESIGN	13	DRAWN BY	DART AEROSPAC HAWKESBURY, ONTARIO, O	
CHECK	ED	APPROVED	DRAWING NO. D3233	REV. B SHEET 1 OF 3
DATE 05.03.08			TITLE WHEEL ASSEMBLY	SCALE 1:1
Α	A 05.02.18		NEW ISSUE	
B 05.03.08		05.03.08	ADDED BEARING SEALS	






MANUFATURER'S RECOMENDATIONS ARE 75 PSI FOR HIGH SPEED USE.

P/N 13927

(2 PLACES)



#### NOTES:

1) POSSIBLE SUPPLIER: McMASTER-CARR, P/N 8353T74
2) POSSIBLE SUPPLIER: GENERAL BEARING
3) PRESS FIT NEEDLE ROLLER BEARINGS INTO RIM HUB WITH
(4) 0.5 X 0.75 X 0.004 BRASS SHIMS PER BEARING, (1) AT EACH QUADRANT.
4) POSSIBLE SUPPLIER: GENERAL BEARING
5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

6) ALL DIMENSIONS ARE IN INCHES

WARK ORDER

SHOP COPY

RETURN TO


**ENGINEERING** 


UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

#### COPYRIGHT © 2005 BY DART AEROSPACE LTD.

D3233-041 WHEEL ASSEMBLY







## **D3233-3 OUTSIDE WASHER**

SHOP COPY RETURN TO

ENGINEERING

### NOTES:

- 1) MATERIAL: AISI 1020-1025 ROUND TUBING PER MIL-T-5066 OR ASTM A5 13-00 ONTROLLED COP MT1020 SRA OR AMS 5075 OR AMS 5077, COLD DRAWN, SEAMLESST TO AMENDMENT
- (REF. DART SPEC. M1020TR)

  2) FINISH: POWDER COAT FIRE RED (REF. 4.3.5.10) PER DART QSI 005 4.3


  3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


4) ALL DIMENSIONS ARE IN INCHES

5) BREAK ALL SHARP EDGES 0.005 TO 0.010



DESIGN 3	DRAWN BY	DART AEROSPAC HAWKESBURY, ONTARIO, O	
CHECKED	APPROVED	DRAWING NO. D3233	REV. B SHEET 3 OF 3
DATE 05	.03.08	WHEEL ASSEMBLY	SCALE 1:1





### **D3233-7 SHAFT SLEEVE**

**SHOP COPY** 

**RETURN TO** 

**ENGINEERING** 

1) MATERIAL: AISI 1020-1025 ROUND TUBING PER MIL-T-5066 OR ASTM A518106 ONTROLLED COP MT1020 SRA OR AMS 5075 OR AMS 5077, COLD DRAWN, SEAMULESS OT TO AMENDMENT (REF. DART SPEC. M1020TR)

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
3) ALL DIMENSIONS ARE IN INCHES
4) BREAK ALL SHARP EDGES 0.010 TO 0.030

NOTES:

### COPYRIGHT © 2005 BY DART AEROSPACE LTD.

DART AERO	SPACE LTD				Work Order:	43626
Description:	D82335				Part Number:	/ /
Inspection Dwg	ı: Rev:	15				Page 1 of 1
	FIRST	ARTICLE IN	SPECTIO	ON CHE	CKLIST	
	x	First Artic	le	Proto	type	
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
1,930 ,05 x 45° ,125	+00 - 010 +1-010 +1-010 -1-010 	1-911				
,05×45°	1/- 1030 x 1/20	,05×45				
,125	t/010	1128				
.188	4/010	190				
1.771 .	20,0 -,005	1.768				
1-47/	T1005 - 010	1.473				
			·		·	
						<u> </u>
			·			
						<del></del>
	<del>-  </del>	<b></b>		L		

		<u>l</u>			
Measured by:	RI	Audited by:	5-2	Prototype Approval:	N/A
. Date:	08/12/23	Date:	08/12/23	Date:	N/A
				<u> </u>	<del>-</del> -

Rev	Date	Change	Revised by	Approved
Α	• •	New Issue	KJ/JLM	